Author Index Vol. 709

Aguilar, M., see Martí, V. 709(1995)367
Akapo, S.O.
Characterization of micropacked alkyl-bonded silica columns for gas chromatographic analyses of light hydrocarbons in planetary atmospheres 709(1995)291
Avanzi, N., see Breton, J. 709(1995)135
Bellini, M.S., see Boso, R.L. 709(1995)11
Bettinelli, M. and Spezia, S.
Determination of trace elements in sea water by ion chromatography–inductively coupled plasma mass spectrometry 709(1995)275
Börnsen, K.O., see Bruin, G.J.M. 709(1995)181
Boso, R.L., Bellini, M.S., Mikšík, I. and Deyl, Z.
Microemulsion electrokinetic chromatography with different organic modifiers: separation of water- and lipid-soluble vitamins 709(1995)11
Breme, U., see Breton, J. 709(1995)135
Breton, J., Avanzi, N., Valsasina, B., Sgarella, L., La Fiura, A., Breme, U., Orsini, G., Wenisch, E. and Righetti, P.G.
Detection of traces of a trisulphide derivative in the preparation of a recombinant truncated interleukin-6 mutein 709(1995)135
Bruin, G.J.M., Börnsen, K.O., Hüsken, D., Gassmann, E., Widmer, H.M. and Paulus, A.
Stability measurements of antisense oligonucleotides by capillary gel electrophoresis 709(1995)181
Cannarsa, G., see Corradini, D. 709(1995)127
Cartoni, G., Coccioli, F. and Jasionowska, R.
Capillary electrophoretic separation of phenolic acids 709(1995)209
Caslavska, J., Gassmann, E. and Thormann, W.
Modification of a tunable UV–visible capillary electrophoresis detector for simultaneous absorbance and fluorescence detection: profiling of body fluids for drugs and endogenous compounds 709(1995)147
Cavallaro, A., Piangerelli, V., Nerini, F., Cavalli, S. and Reschiotto, C.
Selective determination of aromatic amines in water samples by capillary zone electrophoresis and solid-phase extraction 709(1995)361
Cavalli, S., see Cavallaro, A. 709(1995)361
Chmelík, J., see Deml, M. 709(1995)39
Coccioli, F., see Cartoni, G. 709(1995)209
Corradini, C., see Corradini, D. 709(1995)127
Corradini, D., Cannarsa, G., Fabbri, E. and Corradini, C.
Effects of alkylamines on electroosmotic flow and protein migration behaviour in capillary electrophoresis 709(1995)127
Creasy, W.R., Rodríguez, A.A., Stuff, J.R. and Warren, R.W.
Atomic emission detection for the quantitation of trimethylsilyl derivatives of chemical-warfare-agent related compounds in environmental samples 709(1995)333
Deml, M., Pospíchal, J. and Chmelík, J.
Continuous micropreparative trapping in carrier ampholyte-free isoelectric focusing 709(1995)39
Desiderio, C., see Ingelse, B.A. 709(1995)89
Deyl, Z.
Advances in Chromatography (edited by P. Brown and E. Grushka) (Book Review) 709(1995)397
Deyl, Z., see Boso, R.L. 709(1995)11
Deyl, Z., see Jelínková, D. 709(1995)111
Dolník, V.
Capillary zone electrophoresis of serum proteins: study of separation variables 709(1995)99
Everaerts, F.M., see Ingelse, B.A. 709(1995)89
Ezaki, Y., see Yamada, A. 709(1995)345
Fabbri, E., see Corradini, D. 709(1995)127
Faiz, M., see O'Donnell, G.E. 709(1995)313
Fanali, S., see Ingelse, B.A. 709(1995)89
Fitos, I., Visy, J., Simonyi, M. and Hermansson, J.
Separation of enantiomers of benzodiazepines on the Chiral-AGP column 709(1995)265
Freitag, D., see Schmitt, P. 709(1995)215
Friedl, W., Reijenga, J.C. and Kenndler, E.
Ionic strength and charge number correction for mobilities of multivalent organic anions in capillary electrophoresis 709(1995)163
Gaš, B., see Potoček, B. 709(1995)51
Gaš, B., Štědrý, M. and Kenndler, E.
Contribution of the electroosmotic flow to peak broadening in capillary zone electrophoresis with uniform zeta potential 709(1995)63
Gassmann, E., see Bruin, G.J.M. 709(1995)181
Gassmann, E., see Caslavska, J. 709(1995)147
Geyer, R., see O'Donnell, G.E. 709(1995)313
Gübitz, G., see Schmid, M.G. 709(1995)81
Guiochon, G., see Sarker, M. 709(1995)227
Haken, J.K.
Applied Pyrolysis Handbook (edited by T.P. Wampler) (Book Review) 709(1995)393
Havaši, P., see Kaniansky, D. 709(1995)69
Hermansson, J., see Fitos, I. 709(1995)265
Hirokawa, T., Ohta, T., Nakamura, K.-i., Nishimoto, K. and Nishiyama, F.
Bidirectional isotachophoretic separation of metal cations using EDTA as a chelating agent 709(1995)171
Hüsken, D., see Bruin, G.J.M. 709(1995)181
Hutta, M., see Reijenga, J.C. 709(1995)21
Ichihara, A., see Ozaki, H. 709(1995)3
Ingelse, B.A., Everaerts, F.M., Desiderio, C. and Fanali, S.
Enantiomeric separation by capillary electrophoresis using a soluble neutral β-cyclodextrin polymer 709(1995)89
Iványi, F., see Kaniansky, D. 709(1995)69
Jain, V. and Thielen, D.
Determination of aldehydes in basic medium by gas chromatography using O-benzylhydroxylamine derivatization 709(1995)387
Jasionowska, R., see Cartoni, G. 709(1995)209
Jelínková, D., Deyl, Z., Mikšík, I. and Tagliaro, F.
Capillary electrophoresis of hair proteins modified by alcohol intake in laboratory rats 709(1995)111

Juska, A., see O'Donnell, G.E. 709(1995)313
Kaniansky, D., Havaši, P., Iványi, F. and Marák, J.
Galvanic decoupling of a postcolumn amperometric detector in capillary electrophoresis 709(1995)69
Kašička, V., Prusík, Z., Mudra, P. and Štěpánek, J.
Capillary electrophoresis device with double UV detection and its application to the determination of effective mobilities of peptides 709(1995)31
Kataoka, H., Sumida, A., Nishihata, N. and Makita, M.
Determination of aliphatic aldehydes as their thiazolidine derivatives in foods by gas chromatography with flame photometric detection 709(1995)303
Kilàr, F.
Preface 709(1995)1
Kenndler, E., see Friedl, W. 709(1995)163
Kenndler, E., see Gaš, B. 709(1995)63
Kenndler, E., see Potoček, B. 709(1995)51
Kettrup, A., see Schmitt, P. 709(1995)215
Kim, J.-H., Nishida, Y., Ohrui, H. and Meguro, H.
Highly sensitive high-performance liquid chromatographic method to discriminate enantiomeric monoacylglycerols based on fluorescent chiral derivatization with (*S*)-(+)-2-*tert*.-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 709(1995)375
Kowalski, P., see Ochocka, R.J. 709(1995)197
Kowalski, P., see Zarzycki, P.K. 709(1995)203
La Fiura, A., see Breton, J. 709(1995)135
Laleli, Y.R., see Şahin, A. 709(1995)121
Lambert, W.J. and Stamper, G.F.
Development of an analytical reversed-phase high-performance liquid chromatography assay for transforming growth factor β3 709(1995)249
Lamparczyk, H., see Ochocka, R.J. 709(1995)197
Lamparczyk, H., see Zarzycki, P.K. 709(1995)203
Lee, H.K., see Wu, J. 709(1995)351
Li, S.F.Y., see Wu, J. 709(1995)351
Lintelmann, J., see Schmitt, P. 709(1995)215
Macher, M. and Wintersteiger, R.
Improved electrochemical detection of diuretics in high-performance liquid chromatographic analysis by postcolumn on-line photolysis 709(1995)257
Magyar, K., see Szökő, É. 709(1995)157
Makita, M., see Kataoka, H. 709(1995)303
Marák, J., see Kaniansky, D. 709(1995)69
Martí, V., Aguilar, M. and Yeung, E.S.
Indirect fluorescence detection of free cyanide and related compounds by capillary electrophoresis 709(1995)367
Matsuo, K., see Yamada, A. 709(1995)345
Meguro, H., see Kim, J.-H. 709(1995)375
Mikšík, I., see Boso, R.L. 709(1995)11
Mikšík, I., see Jelínková, D. 709(1995)111
Mudra, P., see Kašička, V. 709(1995)31
Nakamura, K.-i., see Hirokawa, T. 709(1995)171
Nerini, F., see Cavallaro, A. 709(1995)361
Nishida, Y., see Kim, J.-H. 709(1995)375
Nishihata, N., see Kataoka, H. 709(1995)303
Nishikawa, Y., see Okumura, T. 709(1995)319
Nishimoto, K., see Hirokawa, T. 709(1995)171
Nishiyama, F., see Hirokawa, T. 709(1995)171
Nomura, A., see Yamada, A. 709(1995)345
Nordstrand, E.
Computer program for simulating the performance of thick-bed diffusive samplers: predicted and experimental sample loss due to reversible adsorption 709(1995)283
Nowakowska, J., see Zarzycki, P.K. 709(1995)203
Ochocka, R.J., Rajzer, D., Kowalski, P. and Lamparczyk, H.
Determination of coumarins from *Chrysanthemum segetum* L. by capillary electrophoresis 709(1995)197
Ohrui, H., see Kim, J.-H. 709(1995)375
Ohta, T., see Hirokawa, T. 709(1995)171
Okumura, T. and Nishikawa, Y.
Determination of organophosphorus pesticides in environmental samples by capillary gas chromatography–mass spectrometry 709(1995)319
Ong, C.N., see Wu, J. 709(1995)351
Orsini, G., see Breton, J. 709(1995)135
Ortancıl, R., see Şahin, A. 709(1995)121
Ozaki, H., Ichihara, A. and Terabe, S.
Micellar electrokinetic chromatography using high-molecular-mass surfactants: comparison between anionic and cationic surfactants and effects of modifiers 709(1995)3
O'Donnell, G.E., Juska, A., Geyer, R., Faiz, M. and Stalder, S.
Analysis of trichloroacetic acid in the urine of workers occupationally exposed to trichloroethylene by capillary gas chromatography 709(1995)313
Patience, R.
Chromatography in the Petroleum Industry (edited by E.R. Adlard) (Book Review) 709(1995)395
Paulus, A., see Bruin, G.J.M. 709(1995)181
Piangerelli, V., see Cavallaro, A. 709(1995)361
Pospíchal, J., see Deml, M. 709(1995)39
Potoček, B., Gaš, B., Kenndler, E. and Štědrý, M.
Electroosmosis in capillary zone electrophoresis with non-uniform zeta potential 709(1995)51
Prusík, Z., see Kašička, V. 709(1995)31
Rajzer, D., see Ochocka, R.J. 709(1995)197
Reijenga, J.C., see Friedl, W. 709(1995)163
Reijenga, J.C. and Hutta, M.
MECCSIM, training software for micellar electrokinetic capillary chromatography 709(1995)21
Reschiotto, C., see Cavallaro, A. 709(1995)361
Righetti, P.G., see Breton, J. 709(1995)135
Rodríguez, A.A., see Creasy, W.R. 709(1995)333
Şahin, A., Laleli, Y.R. and Ortancıl, R.
Haemoglobin analysis by capillary zone electrophoresis 709(1995)121
Sanlaville, Y., see Schmitt, P. 709(1995)215
Sarker, M. and Guiochon, G.
Study of the operating conditions of axial compression columns for preparative chromatography 709(1995)227
Schmid, M.G. and Gübitz, G.
Capillary zone electrophoretic separation of the enantiomers of dipeptides based on host–guest complexation with a chiral crown ether 709(1995)81

Schmitt, P., Freitag, D., Sanlaville, Y., Lintelmann, J. and Kettrup, A.
Capillary electrophoretic study of atrazine photolysis 709(1995)215
Schwedt, G., see Tian, S. 709(1995)381
Sgarella, L., see Breton, J. 709(1995)135
Simonyi, M., see Fitos, I. 709(1995)265
Spezia, S., see Bettinelli, M. 709(1995)275
Stalder, S., see O'Donnell, G.E. 709(1995)313
Stamper, G.F., see Lambert, W.J. 709(1995)249
Štědrý, M., see Gaš, B. 709(1995)63
Štědrý, M., see Potoček, B. 709(1995)51
Štěpánek, J., see Kašička, V. 709(1995)31
Stuff, J.R., see Creasy, W.R. 709(1995)333
Sumida, A., see Kataoka, H. 709(1995)303
Szökő, É. and Magyar, K.
Chiral separation of deprenyl and its major metabolites using cyclodextrin-modified capillary zone electrophoresis 709(1995)157
Tagliaro, F., see Jelínková, D. 709(1995)111
Terabe, S., see Ozaki, H. 709(1995)3
Thielen, D., see Jain, V. 709(1995)387
Thormann, W., see Caslavska, J. 709(1995)147
Tian, S. and Schwedt, G.
Separation of chromate and tungstate by reversed-phase high-performance chromatography using rutin as chelating reagent 709(1995)381
Valsasina, B., see Breton, J. 709(1995)135
Visy, J., see Fitos, I. 709(1995)265
Warren, R.W., see Creasy, W.R. 709(1995)333
Wehr, J.B.
Purification of plant polyamines with anion-exchange column clean-up prior to high-performance liquid chromatographic analysis 709(1995)241
Wenisch, E., see Breton, J. 709(1995)135
Widmer, H.M., see Bruin, G.J.M. 709(1995)181
Wintersteiger, R., see Macher, M. 709(1995)257
Wong, M.K., see Wu, J. 709(1995)351
Wu, J., Wong, M.K., Li, S.F.Y., Lee, H.K. and Ong, C.N.
Combination of orthogonal array design and overlapping resolution mapping for optimizing the separation of heterocyclic amines by capillary zone electrophoresis 709(1995)351
Yamada, A., Ezaki, Y., Matsuo, K., Yarita, T. and Nomura, A.
Supercritical fluid chromatography of free resin acids on an ODS-silica gel column 709(1995)345
Yarita, T., see Yamada, A. 709(1995)345
Yeung, E.S., see Martí, V. 709(1995)367
Zarzycki, P.K., Kowalski, P., Nowakowska, J. and Lamparczyk, H.
High-performance liquid chromatographic and capillary electrophoretic determination of free nicotinic acid in human plasma and separation of its metabolites by capillary electrophoresis 709(1995)203